

# Variational Methods

Computer Vision, Lecture 15  
 Michael Felsberg  
 Computer Vision Laboratory  
 Department of Electrical Engineering

1

## Optimization: Overview

Function	Set	Output (codomain / target set)	
		Continuous	Discrete
Input (domain of definition)	Continuous	Lecture 15	Lecture 15
	Discrete	Lecture 13	Lecture 13

ex: diffusion

ex: level-set  
segmentering

2

## Diffusion: Evolution Equation

- Diffusion is an evolution process starting from the original image.
- Can diffusion be related to the iterations in an optimization process?
- Discrete steps: gradient descent steps (forward Newton scheme) on an objective function.
- But: the unknown is a function!
- Stationarity condition for the solution obtained by **variational calculus** from the objective function.

3

## Variational Methods

- Minimize the local integral of a Lagrange function  $L(f, f_x, f_y, x, y)$

$$\varepsilon(f) = \int_{\Omega} L(f, \nabla f, \mathbf{x}) \, d\mathbf{x}$$

- gives the Euler-Lagrange equation on  $\Omega$

$$L_f - \operatorname{div} L_{\nabla f} = L_f - \partial_x L_{f_x} - \partial_y L_{f_y} = 0 \quad \forall x, y$$

- if we require  $\langle \nabla f | \mathbf{n} \rangle = 0$  on  $\partial\Omega$

4

5

## Insight: EL Equation

- for all test functions  $g$ , the **Gâteaux derivative**

$$\langle \delta \varepsilon(f), g \rangle = \left. \frac{d\varepsilon(f + \eta g)}{d\eta} \right|_{\eta=0} = \lim_{\eta \rightarrow 0} \frac{\varepsilon(f + \eta g) - \varepsilon(f)}{\eta}$$

must vanish (scalar product in function space)

- Inserting the Lagrangian gives

$$\begin{aligned} \langle \delta \varepsilon(f), g \rangle &= \int_{\Omega} \lim_{\eta \rightarrow 0} \frac{L(f + \eta g, \nabla(f + \eta g), \mathbf{x}) - L(f, \nabla f, \mathbf{x})}{\eta} dx \\ &= \langle L_f(f, \nabla f, \cdot), g \rangle + \langle L_{\nabla f}(f, \nabla f, \cdot), \nabla g \rangle \end{aligned}$$

- Note**  $h(\mathbf{y}) = h(\mathbf{a}) + (\mathbf{y} - \mathbf{a})^T \nabla h(\mathbf{a}) + \mathcal{O}(|\mathbf{y} - \mathbf{a}|^2)$

5

7

## Linear Regularization

- Minimizing  $\varepsilon(f) = \frac{1}{2} \int_{\Omega} f_x^2 + f_y^2 dx dy$   
i.e. no data term  $L(f, f_x, f_y, x, y) = L(f_x, f_y, x, y)$
- Gives the Euler-Lagrange equation  
(note:  $L_f = 0$ ,  $L_{f_x} = f_x$ ,  $L_{f_y} = f_y$ )  
 $(\partial_x f_x + \partial_y f_y) = \Delta f = 0$
- Such that gradient descent gives  $f^{(s+1)} = f^{(s)} + \alpha \Delta f^{(s)}$   
or continuous formulation  $f_s = \text{div}(\nabla f) = \Delta f$
- Converges towards trivial solution

7

6

## Insight: EL Equation

- use homogeneity of Green's first identity

$$\int_{\Omega} \nabla f^T \nabla g + \text{div}(\nabla f)g dx = \oint_{\partial\Omega} (\nabla f^T \mathbf{n})g dS$$

to obtain  $\langle L_{\nabla f}, \nabla g \rangle + \langle \text{div} L_{\nabla f}, g \rangle = \oint_{\partial\Omega} (L_{\nabla f}^T \mathbf{n})g dS = 0$

to rewrite  $\langle L_{\nabla f}, \nabla g \rangle = -\langle \text{div} L_{\nabla f}, g \rangle$

- Thus  $\langle \delta \varepsilon(f), g \rangle = \langle L_f - \text{div} L_{\nabla f}, g \rangle$
- and we obtain the necessary condition (for all  $\mathbf{x}$ )

$$L_f - \text{div} L_{\nabla f} = 0$$

6

8

## Non-Linear Regularization

- Minimizing  $\varepsilon(f) = \int_{\Omega} \Psi(|\nabla f|) dx dy$

special case:  $\Psi(\cdot) = \text{Id}(\cdot) \Rightarrow \Psi'(\cdot) = 1$

- Gives the Euler-Lagrange equation

$$\partial_x \frac{\Psi'(|\nabla f|)}{|\nabla f|} f_x + \partial_y \frac{\Psi'(|\nabla f|)}{|\nabla f|} f_y = \text{div} \left( \frac{\Psi'(|\nabla f|)}{|\nabla f|} \nabla f \right) = 0$$

- Such that gradient descent gives

$$f^{(s+1)} = f^{(s)} + \alpha \text{div} \left( \frac{\Psi'(|\nabla f^{(s)}|)}{|\nabla f^{(s)}|} \nabla f^{(s)} \right)$$

8

9

## Exemple: Perona-Malik Flow

- Special cases:  $\Psi(|\nabla f|) = -K^2/2 \cdot \exp(-|\nabla f|^2/K^2)$   
 $\Rightarrow \Psi'(|\nabla f|) = |\nabla f| \exp(-|\nabla f|^2/K^2)$   
 $\Psi(|\nabla f|) = K^2/2 \cdot \log(K^2 + |\nabla f|^2)$   
 $\Rightarrow \Psi'(|\nabla f|) = |\nabla f|(1 + |\nabla f|^2/K^2)^{-1}$
- Such that gradient descent gives Perona-Malik Flow

$$f^{(s+1)} = f^{(s)} + \alpha \operatorname{div} \left( \frac{\Psi'(|\nabla f^{(s)}|)}{|\nabla f^{(s)}|} \nabla f^{(s)} \right)$$

9

11

## Beyond Diffusion

- In what follows: add data term to minimization problem
- Converges towards non-trivial solution
- Optimization with standard forward Euler scheme

11

10

## Interpretation

- Diffusion is an evolution over "time"  $s$
- Starts at the measured image
- Converges towards DC signal
- Critical parameter 1: "stopping time"
- Critical parameter 2:  $\alpha$
- Several examples in the enhancement lecture

10

12

## Linear Restoration

- Minimizing

$$\varepsilon(f) = \frac{1}{2} \int_{\Omega} \underbrace{(f - f_0)^2 + \lambda(f_x^2 + f_y^2)}_{L(f, f_x, f_y, x, y)} dx dy$$

- Gives the Euler-Lagrange equation

$$\underbrace{f - f_0}_{L_f} - \lambda \underbrace{\Delta f}_{\operatorname{div}(L_{f_x}, L_{f_y})} = 0$$

- Such that gradient descent gives

$$\begin{aligned} f^{(s+1)} &= f^{(s)} - \alpha(f^{(s)} - f_0 - \lambda \Delta f^{(s)}) \\ &= (1 - \alpha)f^{(s)} + \alpha(f_0 + \lambda \Delta f^{(s)}) \end{aligned}$$

12

13

## Non-Linear Restoration

- Minimizing

$$\varepsilon(f) = \int_{\Omega} \frac{1}{2}(f - f_0)^2 + \lambda \Psi(|\nabla f|) dx dy$$

- Gives the Euler-Lagrange equation

$$f - f_0 - \lambda \operatorname{div} \left( \frac{\Psi'(|\nabla f|)}{|\nabla f|} \nabla f \right) = 0$$

- Such that gradient descent gives

$$\begin{aligned} f^{(s+1)} &= f^{(s)} - \alpha \left( f^{(s)} - f_0 - \lambda \operatorname{div} \left( \frac{\Psi'(|\nabla f^{(s)}|)}{|\nabla f^{(s)}|} \nabla f^{(s)} \right) \right) \\ &= (1 - \alpha)f^{(s)} + \alpha(f_0 + \lambda \operatorname{div}(\dots)) \end{aligned}$$

13

14

## Special Case: TV/ROF

- Minimizing

$$\varepsilon(f) = \int_{\Omega} \frac{1}{2}(f - f_0)^2 + \lambda |\nabla f| dx dy$$

- Gives the Euler-Lagrange equation

$$f - f_0 - \lambda \operatorname{div} \left( \frac{1}{|\nabla f|} \nabla f \right) = 0$$

- Such that gradient descent gives


$$f^{(s+1)} = f^{(s)} - \alpha \left( f^{(s)} - f_0 - \lambda \operatorname{div} \left( \frac{1}{|\nabla f^{(s)}|} \nabla f^{(s)} \right) \right)$$

14

15

## Example (lecture 13)

- Parameters:  $\alpha = 0.0005$ ,  $\lambda = 0.5$ , noise(0,0.001)



15

16

## Explicit vs Implicit

- All gradients so far are based on the previous estimate: the time discretization leads to an **explicit scheme** (least calculations, easiest)
- If the gradients are based on the new estimate, we obtain an **implicit scheme** (always stable, large time steps)
- If the gradients are based on both, we obtain the **Crank-Nicolson scheme** (always stable, small time steps)

16

17

## Interpretation

- Restoration adds a data term
- Uses the measured image as input in each iteration
- Converges towards non-trivial solution
- Critical parameter 1: "meta" parameter  $\lambda$
- Critical parameter 2:  $\alpha$

17

18

## Beyond Restoration

- Data term can be used to describe the measurement model
- Degradation (blurring, noise, etc)
- Data term modality differs from modality of estimated term, e.g. image data is measured but
  - Optical flow
  - Segmentation map
 are to be estimated

18

19

## Deblurring

- Minimizing

$$\varepsilon(f) = \frac{1}{2} \int_{\Omega} (g * f - f_0)^2 + \lambda(f_x^2 + f_y^2) dx dy$$

- Gives the Euler-Lagrange equation

$$g(-\cdot) * (g * f - f_0) - \lambda \Delta f = 0$$

- Such that gradient descent gives

$$f^{(s+1)} = f^{(s)} - \alpha (g(-\cdot) * (g * f^{(s)} - f_0) - \lambda \Delta f^{(s)})$$

19

20

## Comments

- $g$ : point spread function (PSF)
- $g(-x)$ : correlation operator / adjoint operator
- even symmetry PSF: self adjoint
- definition of adjoint operator  $\langle x | Ay \rangle = \langle A^* x | y \rangle$
- Example from lecture 13

20

21

## Demonstration

21

22

## Optical Flow $\mathbf{f} = \begin{bmatrix} f_1 \\ f_2 \end{bmatrix}$

- Minimizing BCCE
 
$$\varepsilon(\mathbf{f}) = \frac{1}{2} \int_{\Omega} ((\mathbf{f}|\nabla g) + g_t)^2 + \lambda(|\nabla f_1|^2 + |\nabla f_2|^2) dx dy$$

- Gives the Euler-Lagrange equation (HS!)

$$((\mathbf{f}|\nabla g) + g_t)\nabla g - \lambda \Delta \mathbf{f} = 0$$

- Laplacian is approximately

$$\Delta \mathbf{f} \approx \bar{\mathbf{f}} - \mathbf{f}$$

$$\begin{bmatrix} 1 & 1 & 1 \\ 1 & 1 & 1 \end{bmatrix} \cdot 3 \cdot \begin{bmatrix} 0 & 1 & 0 \\ 0 & 1 & 0 \end{bmatrix} = \begin{bmatrix} 1 & -2 & 1 \\ 1 & -2 & 1 \end{bmatrix}$$

22

23

## Optical Flow

- Plugging into the EL-equation gives

$$(\lambda + \nabla g \nabla g^T) \mathbf{f} = \lambda \bar{\mathbf{f}} - g_t \nabla g$$

- Explicitly solving for  $\mathbf{f}$  results in

$$\begin{aligned} (\lambda + \nabla g \nabla g^T) \mathbf{f} &= (\lambda + \nabla g \nabla g^T) \bar{\mathbf{f}} - (\nabla g \nabla g^T \bar{\mathbf{f}} + \nabla g g_t) \\ &= (\lambda + \nabla g \nabla g^T) \bar{\mathbf{f}} - \nabla g (\nabla g^T \bar{\mathbf{f}} + g_t) \\ &= (\lambda + \nabla g \nabla g^T) \bar{\mathbf{f}} - \frac{\lambda + \nabla g \nabla g^T}{\lambda + \nabla g^T \nabla g} \nabla g (\nabla g^T \bar{\mathbf{f}} + g_t) \\ &= (\lambda + \nabla g \nabla g^T) \bar{\mathbf{f}} - \frac{\lambda + \nabla g \nabla g^T}{\lambda + \nabla g^T \nabla g} \nabla g (\nabla g^T \bar{\mathbf{f}} + g_t) \\ \mathbf{f} &= \bar{\mathbf{f}} - \frac{1}{\lambda + \nabla g^T \nabla g} \nabla g (\nabla g^T \bar{\mathbf{f}} + g_t) \end{aligned}$$

23

24

## Optical Flow

- Iterating the solution

$$\mathbf{f} = \bar{\mathbf{f}} - \frac{1}{\lambda + \nabla g^T \nabla g} \nabla g (\nabla g^T \bar{\mathbf{f}} + g_t)$$

- Results in the Horn & Schunck iteration

$$\mathbf{f}^{(s+1)} = \bar{\mathbf{f}}^{(s)} - \frac{1}{\lambda + |\nabla g|^2} ((\bar{\mathbf{f}}^{(s)}|\nabla g) + g_t) \nabla g$$

- Significant improvement: use median instead of  $\mathbf{f}$  !

24

25

## Demonstration

25

27

## Segmentation / Contours

- Chan-Vese energy minimized of level-set function  $\phi$

$$E(\phi) = \int_{\Omega} (H(\phi) - 1)f_2 - H(\phi)f_1 + \lambda|\nabla H(\phi)| dx$$

- $H$  is the (regularized) Heaviside function
- $f$  are weights computed from the image (e.g. squared deviation from certain greyscale)

- EL equation

$$\delta(\phi) \left( f_2 - f_1 + \lambda \operatorname{div} \left( \frac{\nabla \phi}{|\nabla \phi|} \right) \right) = 0$$


- Problem: (regularized) delta function  $\delta$

27

26

## Segmentation / Contours

- Segmentation function (level-set function) to be optimized
- Negative / positive in background / object region
- Contour is the zero-level



26

28

## Segmentation / Contours

- Omitting delta-function
- Original solution remains solution
- Corresponds to minimizing

$$E(\phi) = \int_{\Omega} (f_2 - f_1)\phi + \lambda|\nabla \phi| dx$$

- Non-existence of minimizer (!)

28

29

## Segmentation / Contours

- Binary function instead of level-set function
- becomes Ising model

$$E(\phi) = - \int_{\Omega_2} f_2 dx - \int_{\Omega_1} f_1 dx + \lambda |C|$$

- Hard to solve – use relaxation
  - Binary function replaced by smooth approximation
  - After optimization apply threshold
- Discrete optimization (lecture 13)

29

30

## Examples



[http://homepages.inf.ed.ac.uk/rb/CVonline/LOCAL\\_COPIES/CREMERS2/](http://homepages.inf.ed.ac.uk/rb/CVonline/LOCAL_COPIES/CREMERS2/)

30

31

## Demonstration

31

32

## Alternative Contour Methods

- Popular application:
  - Geodesic active contours
  - Snakes
- Contour parametrized as
 
$$\mathbf{v}(s) = [x(s), y(s)] \quad s \in [0, 1]$$
- Usually approximated as spline
- Option: Fourier descriptors

Reconstruction using 1 coeffs



32



33

## Geodesic Active Contours

- Consider a curve moving in time

$$\mathbf{v}(s, t) = [x(s, t), y(s, t)]$$

- let the curve develop according to the inward normal  $\mathbf{n}$  and the curvature  $c$

$$\frac{\partial \mathbf{v}}{\partial t} = V(c)\mathbf{n}$$



33

34

## Geodesic Active Contours

- Assume level set function  $\phi(x, y, t)$  such that  $\phi(\mathbf{v}(s, t), t) = 0$

- Negative inside and positive outside gives

$$\mathbf{n} = -\frac{\nabla \phi}{|\nabla \phi|}$$

- Plug in normal into evolution equation gives

$$\frac{\partial \mathbf{v}}{\partial t} = -\frac{V(c)\nabla \phi}{|\nabla \phi|}$$



34

35

## Geodesic Active Contours

- What remains is to re-write l.h.s. of

$$\frac{\partial \mathbf{v}}{\partial t} = -\frac{V(c)\nabla \phi}{|\nabla \phi|}$$

- Time derivative of  $\phi(\mathbf{v}(s, t), t)$  gives

$$\frac{\partial \phi}{\partial t} + \nabla \phi \frac{\partial \mathbf{v}}{\partial t} = 0$$

- Such that  $\frac{\partial \phi}{\partial t} = V(c)|\nabla \phi|$

- Level-set equation




35

36

## Over-Segmentation / Superpixels

- So far: attempt for semantic segmentation
- Alternative: over-segmentation based on stationarity of image process

- MSER (lecture 8)
- Superpixel algorithms – clustering in 5D  $(x, y, R, G, B)$
- Left: contour-relaxed superpixels
- Right: SLIC



36