

# Index

- 3D reconstruction, 139
- 5+1-point algorithm, 310
- 5-point algorithm, 290
- 7-point algorithm, 285
- 8-point algorithm, 283
  
- affine point, 47
- affine transformation, 59
- affine transformation group, 59
- affine vector, 47
- algebraic distance, 42
- algebraic error, 42, 204, 205
- algebraic estimation, 208
- algebraic representation of  $SO(3)$ , 163, 165
- algebraically independent, 118
- analytic geometry, 16
- aperture, 97, 317
- automatic camera calibration, 316
- auxiliary variables, 221, 243, 289, 317, 328
- axis-angle representation of  $SO(3)$ , 166
  
- backward interpolation, 337
- barrel distortion, 320
- barycentric coordinates, 264
- baseline, 140
- blending, 338
- blind plane, 356
- bookkeeping tables, 371
- bounding box, 112, 332
- Brown-Conrady distortion, 322
- bundle adjustment, 17, 370
  - incremental, 370
  
- C-normalized image coordinates, 102
- calibrated epipolar geometry, 137, 282
- calibration device, 325
- camera, 97
  - rotating, 131
- camera (projection) matrix, 96
  - from  $\mathbf{F}$ , 149
- camera calibration, 111, 240, 315
- camera center, 96
- camera centered coordinate systems, 98
- camera normalized image coordinates, 102
- camera obscura, 97
- camera resectioning, 110
  
- cameras observe a plane, 126
- canonical form of homogeneous coordinates
  - 2D line, 34
  - 2D point, 32
  - 3D point, 67
  - plane, 68
- canonical form of Plücker coordinates, 72, 75
- canonical set of homogeneous coordinates, 92
- Cardano angles, 179
- Cartesian coordinate system, 21
- Cartesian representation, 22
- Cayley transform, 172
- central perspective, 95
- central projection, 95
- centroid, 193
- co-linear planes, 27
- co-linear points, 22, 27
- co-planar lines, 27
- co-planar points, 26
- collineation, 87
- complete representation, 165
- concatenation of rotations, 166
- consensus set, 299
- consistency, 206
- consistent parameterization, 244
- consistent Plücker coordinates of 3D line, 74
- constraint enforcement, 244
  - fundamental matrix, 284
  - normalized camera matrix, 270
  - rotation matrix, 261
- corner point, 122
- correspondence, 137
- correspondence problem, 124
- corresponding lines, 122
- corresponding points, 122, 137, 219
- cost function, 192
- cross-correlation, 193
  
- D-normalization, 35
- data constraint, 207
- data degeneracy, 207, 224, 225, 282
- data error, 196
- data matrix, 38, 206
- decentering distortion, 322
- degeneracy
  - epipolar geometry estimation, 286

- homography estimation, 224
  - method, 210
  - of data, 207
- degenerate configuration, 54
- degenerate data, 37
- degrees of freedom, 207
- dense disparity estimation, 353
- depth, 101, 349
- depth-of-field, 317
- direct linear transformation, 118, 221
- directed line, 43
- direction, 47
- disparity, 349, 353
- distortion center, 323
- DL-normalization, 75
- DLT, 221
- double embedding of  $SO(3)$ , 176
- dual homogeneous coordinates, 34, 69
- dual line normalization, 35, 75
- dual Plücker coordinates, 51, 73
- dual transformation, 64
- duality mapping, 74
- duality of points and lines, 52
  
- ego-motion estimation, 131, 370
- energy function, 192
- epipolar constraint, 118, 125, 137, 144
- epipolar geometry, 121, 137
  - degenerate, 286
- epipolar line, 141, 145
- epipolar plane, 142
- epipolar point, 140
- epipole, 140
- equation of the line, 22
- equation of the plane, 26
- equilibrating transformation, 234
- error function, 192
- essential matrix, 137, 156
  - estimation, 290
  - robust, 308
  - internal constraint, 157
- estimation
  - camera matrix, 239
  - epipolar geometry, 275
  - fundamental matrix, 282
  - homography, 219
  - introduction, 191
  - MAP, 216
  - maximum a posteriori probability, 216
  - rigid transformation, 263
  - rotations, 259
  - transformations, 219
- Euclidean geometry, 15
- Euclidean reconstruction, 154
  
- Euler angles, 179
- exhaustive search, 125
- exterior orientation, 108, 263
- external camera parameters, 108
  
- feasibility constraint, 101
- FET, 320
- field of view, 119
- field of view model, 321
- fish-eye lens, 318
- fish-eye transform, 320
- focal length, 98
- focal point, 96
- forward interpolation, 337
- FOV, 321
- fundamental matrix, 137, 143
  - camera matrices from, 149
  - estimation, 282
  - robust, 307
  - internal constraint, 143
  
- general configuration of points, 54
- geometric distortion, 318
- geometric estimation, 200
- geometric objects, 31
- gimbal lock, 187
- gold standard method, 288
  
- H-normalization, 235
- hand-eye calibration, 263
- Hartley normalization, 235
- Hesse normal form, 24
- Hesse parameters, 24
- homogeneous coordinates, 17, 30
  - 2D point, 32
    - canonical form, 32
  - 3D point, 67
    - canonical form, 67
  - line, 34
    - 2D canonical form, 34
  - plane, 69
    - canonical form, 68
- homogeneous method, 212
- homogeneous representation, 22
- homography, 87
  - planar, 121, 126
  - rotational, 133
- homography estimation
  - degeneracy, 224
  - robust, 307
- homography group, 89
- homography transformation, 87
  
- IAC, 134
- ICP, 265

- ideal data, 197
- ideal point, 16, 47
- identity rotation, 166
- IID, 197
- image coordinate system, 105
- image coordinates, 96
- image mosaic, 332
- image mosaicking, 332
- image of the absolute conic, 134
- image plane, 96
- image point, 96
- image stitching, 332
- incidence relations, 36
- incremental bundle adjustment, 370
- independent and identical distributions, 197
- indeterministic estimation method, 299
- inhomogeneous method, 210
- inliers, 199, 296
- inner derivatives, 246
- intercept, 23
- interest point, 122
  - detection, 124
- interior orientation, 108
- internal camera parameters, 108
- internal constraint, 133, 206
  - essential matrix, 157
  - fundamental matrix, 143
  - normalized camera matrix, 103
  - of a rotation representation, 166
  - Plücker coordinates, 74
  - rotation matrix, 164
- invariances, 53
- inverse Cayley transform, 174
- inverse of a rotation, 166
- involution, 61
- iterative closest point, 265
  
- Jacobian mask, 257, 382
  
- keystone effect, 90
  
- L-normalization, 72
- $L_1$  error, 202
- $L_2$  error, 201
- lens distortion, 318
- lens distortion function, 318
- lens effect, 318
- likelihood, 217
- line at infinity, 48, 71
- line normalization, 72
  
- MAP, 216
- match, 122
- matched transformations, 359
- matching points, 122
  
- max-error, 202
- maximum a posteriori probability, 216
- maximum likelihood estimation, 216, 217
- mean, 193
- measurement error, 196
- measurement noise, 114, 197
- median-error, 202
- method degeneracy, 210, 225, 281
- mid-point method, 276
- minimal case estimation, 223
- minimal case of model estimation, 208
- minimal parameterization, 108, 149
- ML-estimation, 216, 217
- model error, 198
- model estimation
  - minimal case, 208
  - over-determined case, 208
  - under-determined case, 207
- model parameters, 193, 205
- motion stereo, 139
  
- nearest neighbor interpolation, 115, 337
- non-linear optimization, 201
- normalization constraint, 206
- normalized 8-point algorithm, 285
- normalized camera matrix, 101, 103
  - internal constraint, 103
- normalizing transformation, 231, 234
  
- objective function, 192
- observation, 197
- omni-directional camera, 332
- one-first enumeration of coordinates, 114
- optical axis, 98
- optical center, 96
- optical ray, 115
- optimal triangulation, 277
- orientation of a line, 46
- outlier, 199, 203, 296
- over-determined model estimation, 208
- over-fitting, 198
  
- P-normalization, 33
- P3P, 272
- panorama image, 332
- panorama stitching, 332
- parameter space, 165
- parameterization of a transformation, 54
- parametric representation, 25
- perspective  $n$ -point problem, 270
- photogrammetry, 17
- pin-cushion distortion, 320
- pinhole camera, 95, 97
- pinhole perspective, 95
- pixel coordinates, 105

- pixel density, 108
- pixel grid, 112
- pixel value, 113
- pixels, 97
- Plücker coordinates of 2D line, 51
- Plücker coordinates of 3D line, 71
  - canonical form, 72, 75
  - consistent, 74
  - internal constraint, 74
  - sandwich product, 86
- planar homography, 121, 126
- plane observed by two cameras, 126
- plumb bob distortion, 322
- PnP, 270
- point at infinity, 16, 46
- point correspondence, 122
- point normalization, 33
- point of interest, 122
- point-cloud, 378
- pose, 108
- pre-conditioning, 234
- principal axis, 98
- principal line, 98
- principal plane, 98
- principal point, 98
- probability density, 214
- probability density function, 197
- projection, 87
- projection line, 87, 115
- projection plane, 117
- projection point, 87
- projective geometry, 16, 48
- projective group, 89
- projective plane, 16, 48
- projective reconstruction, 155
- projective spaces, 17
- projectivity, 87
- proper line, 45, 71
- proper point, 45
- putative correspondence, 130, 366
  
- quaternion sandwich product, 175
- quaternionic embedding of  $SO(3)$ , 175
- quaternionic embedding of  $\mathbb{R}^3$ , 175
  
- radial distortion function, 320
- Random Sample Consensus, 300
- RANSAC, 300
- re-mapping of the residual vector, 247
- re-normalize, 231
- re-parameterization, 245
- reconstruction, 153
- rectified stereo, 349
  - synthetic, 349
- rectified stereo cameras, 349
  
- rectified stereo rig, 349
- rectifying homographies, 349, 357
- reference image, 333
- registration, 265
- reprojection error, 369
- residual error, 193
- residual vector, 206, 242
- rigid transformation, 57
  - estimation, 263
- rigid transformation group, 57
- robust errors, 297
- robust estimation, 295, 296
  - essential matrix, 308
  - fundamental matrix, 307
  - homography, 307
- Rodrigues' rotation formula, 167, 168
- rotating camera, 131
- rotation, 164
- rotation matrix
  - internal constraint, 164
- rotational homography, 121, 131, 133
  
- SAD, 202
- sandwich product of Plücker coordinates, 86
- Schur complement trick, 384
- $SE(2)$ , 57
- $SE(3)$ , 83
- SfM, 367
- shearing, 62
- signed distance, 41
- similarity reconstruction, 154
- similarity transformations, 58
- singularity, 166
- skewing, 62
- slope, 23
- solution space, 207, 225
- SOPP, 261
- sparse disparity estimation, 353
- special Euclidean transformation group
  - in  $\mathbb{E}^2$ , 57
  - in  $\mathbb{E}^3$ , 83
- special orthogonal Procrustes problem, 261
- SSD, 201
- standard Plücker coordinates, 73
- stereo cameras, 137, 139
- stereo images, 139
- stereo rig, 139
- structure and motion, 367
- structure from motion, 367
- sum of absolute differences, 202
- sum of square differences, 201
- SVD profile, 226
- synthetic stereo rectification, 349, 356, 357
- synthetically rectified stereo images, 357

Tait-Bryan angles, 179  
thin-prism distortion, 322  
three-angle representation, 179  
total least squares, 195  
transfer, 146  
    of epipolar lines, 146  
    of points, 146  
translation group, 56  
trial set, 299  
triangulation, 17, 118, 139, 153, 275  
twisted pair, 185  
twisted rotations, 159, 185  
  
unbiased estimate, 237  
uncalibrated epipolar geometry, 137, 149  
under-determined model estimation, 207  
unique representation, 165  
unperturbed data, 197  
  
variances, 193  
vectorization, 206, 222, 239  
virtual image plane, 101  
visibility function, 369  
visual appearance, 305  
visual odometry, 370  
  
Wahba's problem, 260  
weak stereo rectification, 350  
world coordinate system, 102  
  
zero-first enumeration of coordinates, 114